

ARDESTO



PRODUCT CATALOG

2024



ARDESTO wide product range includes everything you need to make your house comfortable and cozy, improve your life and care: high-quality, stylish and reliable household appliances, climate control and refrigeration equipment, a variety of kitchen appliances, and, of course, health and beauty devices.

As an international brand, ARDESTO is proud that its products are chosen by millions of consumers all over the world. Manufacturing facilities are located in Italy, China, Turkey, Ukraine, and the heart of the brand, the ARDESTO trademark, is registered in Switzerland. Production equipment complies with the most modern technological trends and requirements.

Due to cooperation with leading development centers, all ARDESTO products are distinguished by innovative technological and unique design solutions. ARDESTO cares about the comfort of users, which is confirmed by strict production control and compliance with Ukrainian and European standards.

Warranty and post-warranty service are provided by a wide network of certified service centers.

This catalog shows only a part of the current ARDESTO product range: built-in, kitchen and domestic appliances, beauty and health devices, refrigeration and climate control equipment, washing machines.

CONTENTS

KITCHEN APPLIANCES

BEVERAGE PREPARATION

Electric Kettles	6
Coffee Machines	10
Juicers	12

FOOD PROCESSING

Hand Blenders	14
Choppers	15
Mixers	16
Kitchen Scales	17
Kitchen Machines	18
Meat Grinders	18
Coffee Grinders	20
Slicers	20

COOKING

Toasters	22
Sandwich Makers	22
Multi Makers	22
Electric Grills	23
Electric BBQ Grill	23
Electric Hobs	24
Induction Hobs	25
Food Dehydrators	26
Slow Cookers	26
Pressure Cookers	28
Microwave Ovens	28
Electric Ovens	31
Freestanding Cookers	34

HOUSEHOLD APPLIANCES

CORDLESS VACUUM CLEANERS

Cordless Vacuum Cleaners	41
--------------------------------	----

MOSQUITO REPELLENT LANTERNS

Mosquito Repellent Lanterns	43
-----------------------------------	----

GARMENT CARE

Fabric Pill Remover	45
Irons	45
Steamers	46

BEAUTY & HEALTH CARE PRODUCTS

HEALTH CARE

Floor Scales	49
Oral Irrigators	51
Electric Toothbrushes	51

BEAUTY

Hair Dryers	54
Professional Hair Dryers	55
Curlers	55
Straighteners	56
Hair Clippers	53
Trimmers	57
Epilators	57
Electric Shavers	58

REFRIGERATION EQUIPMENT

Refrigerators	60
Coolers	62
Freezers	63
Wine Coolers	64
Ice Makers	64

WASHING MACHINES

Semi Automatic Washing Machines	66
Automatic Washing Machines	67
Drying Machines	71

CLIMATE CONTROL EQUIPMENT

Convactor Heaters	73
Fan Heaters	74
Industrial Fan Heaters	74
Oil Heaters	75
Infrared Heaters	76
Ceramic Heating Panels	77
Fans	80
Humidifiers	82
Air Purifiers	83
Electric Water Heaters	83

ARDESTO



МЕНЮ АВТОПРИГОТУВАННЯ
1. Молоко/Каво 2. Рис 3. Салати
4. Картопля 5. Апельсинові 6. Папа

7. Пиво 8. М'ясо 9. Бургери
10. Алергоконтролювання

ПОТУЖИСТЬ ЧАС

ВАГА

ГРИЛЬ

КОМБІ ВІДКЛАДЕНИЙ
СТАРТ

СТАРТ / ШВИДКИЙ СТАРТ
СТОП / СКАСУВАННЯ

МЕНЮ / ТАЙМЕР

ARDESTO

KITCHEN APPLIANCES

BEVERAGE PREPARATION



ARDESTO

Electric Kettles



	<u>EKL-F100</u>	<u>EKL-F110</u>	<u>EKL-F17WG</u>
Product code	<u>EKL-F100</u>	<u>EKL-F110</u>	<u>EKL-F17WG</u>
Power, W	1 800	1 800	1 800
Capacity, L	1,7	1,7	1,7
Body material	Glass	Glass	Plastic
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	Yes	Yes	No
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles



	<u>EKL-F18B</u>	<u>EKL-F19B</u>	<u>EKL-F200</u>
Product code	<u>EKL-F18B</u>	<u>EKL-F19B</u>	<u>EKL-F200</u>
Power, W	1 800	1 800	1 800
Capacity, L	1,7	1,7	1,7
Body material	Double wall	Plastic	Glass
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No	Yes
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles



	<u>EKL-F300R</u>	<u>EKL-F300W</u>	<u>EKL-F340BG</u>
Product code	<u>EKL-F300R</u>	<u>EKL-F300W</u>	<u>EKL-F340BG</u>
Power, W	1 800	1 800	1 800
Capacity, L	1,7	1,7	1,7
Body material	Stainless steel	Stainless steel	Stainless steel
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	Yes	Yes	No
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles



	<u>EKL-F340BRZ</u>	<u>EKL-F340R</u>	<u>EKL-F400G</u>
Product code	<u>EKL-F340BRZ</u>	<u>EKL-F340R</u>	<u>EKL-F400G</u>
Power, W	1 800	1 800	1 850
Capacity, L	1,7	1,7	1,8
Body material	Stainless steel	Stainless steel	Stainless steel
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No	No
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles



Product code	EKL-F410BG	EKL-F410BM	EKL-FD700SS
Power, W	1 850	1 850	1 850
Capacity, L	1,8	1,8	1,7
Body material	Stainless steel	Stainless steel	Stainless steel
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No	Yes
Additional features	Temperature indicator on the body; boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Temperature indicator on the body; boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Temperature adjustment: 50°C, 70°C, 80°C, 90°C; electronic control on the handle; boil-dry protection; auto shut-off; up to 12,000 boiling cycles



Product code	EKL-T30	EKL-T32S	EKL-T31GW
Power, W	1 500	1 500	1 350
Capacity, L	1,8	2,2	1,5
Body material	Stainless steel	Stainless steel	Glass, plastic
Controller	FADA, CN	FADA, CN	FADA, CN
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No	No
Additional features	Boil-dry protection; auto shut-off	Boil-dry protection; auto shut-off	Boil-dry protection; auto shut-off; operation light indication



Product code	EKL-X50	EKL-X51	EKL-F1BG
Power, W	2 200	2 200	1 500
Capacity, L	1,7	1,5	1
Body material	Double wall	Double wall	Double wall
Controller	Strix, UK	Strix, UK	Strix, UK
Heating element	Concealed, stainless steel	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No	No
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles



Product code	EKL-X52E	EKL-X53E
Power, W	2 200	2 000
Capacity, L	1,5	1,7
Body material	Double wall	Double wall
Controller	Strix, UK	Otter
Heating element	Concealed, stainless steel	Concealed, stainless steel
LED illuminated interior	No	No
Additional features	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles; LED display on the body; electronic thermostat for temperature adjustment	Boil-dry protection; auto shut-off; up to 12,000 boiling cycles; LED display on the body; 30 minutes keep warm function; electronic thermostat for temperature adjustment

Coffee Machines



Product code	ECM-E10B	YCM-E1600	ECM-EM14S
Type	Pump	Pump	Pump
Power, W	1 633	850	1 450
Pump pressure, bar	20	15	20
Type of coffee	Ground	Ground	Ground
Water tank capacity, L	1	1,6	1,4
Coffee grinder	No	No	No
Additional features	Cup warming surface; overheat and overpressure protection system; auto clean and descale	Italian pump; double SUS304 stainless steel filter for two cups; overheat and overpressure protection system; Pannarello milk frother; measuring spoon included	Serving size adjustment; cup warming surface; overheat and overpressure protection system; auto preparation: espresso, double espresso, cappuccino, latte, milk froth; auto clean and descale
Dimensions (w × h × d), mm	320 × 340 × 250	320 × 320 × 260	300 × 370 × 260
Weight, kg	3,85	3,62	5



Product code	FCM-D2100	FCM-D3100	FCM-D3200
Type	Drip	Drip	Drip
Power, W	900	900	900
Pump pressure, bar	-	-	-
Type of coffee	Ground	Ground	Ground
Water tank capacity, L	1,2	1,5	1,5
Coffee grinder	No	No	No
Additional features	Possibility of making tea; non-stick plate for auto coffee pot heating; anti-drip system; overheat protection; water level indicator; main switch with power indicator; non-slip base	Possibility of making tea; coffee strength adjustment; LCD display; touch control; programmable timer up to 24 hours	Display with white backlight; coffee pot heating; anti-drip system; coffee strength adjustment; timer
Dimensions (w × h × d), mm	230 × 320 × 190	250 × 340 × 190	190 × 350 × 250
Weight, kg	1,63	2,41	2,47



Product code	YCM-D060	YCM-D1200	FCM-D17WG
Type	Drip	Drip	Drip
Power, W	650	1 050	920
Pump pressure, bar	-	-	-
Type of coffee	Ground	Whole bean/Ground	Ground
Water tank capacity, L	0,6	1,2	1,5
Coffee grinder	No	Yes	No
Additional features	Anti-drip system; overheat protection; water level indicator	Digital display; heating function; delayed start function; auto shut-off (40 minutes)	Non-stick plate for auto coffee pot heating; anti-drip system; overheat protection; water level indicator; switch with power indicator; non-slip base
Dimensions (w × h × d), mm	200 × 280 × 145	240 × 350 × 330	220 × 350 × 230
Weight, kg	1,05	3,53	2,09



Product code	FCM-E15BG	YCM-E1500	YCM-E1501
Type	Pump	Pump	Pump
Power, W	1 050	1350	1350
Pump pressure, bar	15	20	20
Type of coffee	Ground	Ground	Ground
Water tank capacity, L	1,2	1,4	1,4
Coffee grinder	No	No	No
Additional features	Serving size adjustment; making two cups of coffee at the same time; cup warming surface; overheat and overpressure protection system; stainless steel Pannarello milk frother	Italian pump; touch control; PID control; pre-soaking function; overheat and overpressure protection system	Italian pump; touch control; PID control; pre-soaking function; overheat and overpressure protection system
Dimensions (w × h × d), mm	300 × 320 × 250	380 × 370 × 200	380 × 370 × 200
Weight, kg	3,4	3,84	3,84

Juicers



Product code	CJK-1L	JEG-1000	JEG-800
Power, W	25	1 000	800
Type	Citrus press	Centrifugal	Centrifugal
Body material	Plastic	Metal	Metal
Number of speed settings	-	2	2
Feed tube diameter, mm	-	65	75
Juice jug capacity, L	1	0,5	1
Pulp container capacity, L	-	1,5	0,5
Reverse function	Yes	No	No
Additional features	-	Motor overheat protection	Motor overheat protection



Product code	JEG-1330SL	JEG-1500S	JEG-1330S
Power, W	200	200	200
Type	Masticating	Masticating	Masticating
Body material	Metal	Plastic	Metal
Number of speed settings	1 (90 rpm)	1 (90 rpm)	1 (90 rpm)
Feed tube diameter, mm	85	45	40
Juice jug capacity, L	0,6	0,4	0,6
Pulp container capacity, L	0,6	0,7	0,6
Reverse function	Yes	Yes	Yes
Additional features	Anti-drip coating; motor overheat protection	Anti-drip coating; motor overheat protection	Anti-drip coating; motor overheat protection

FOOD PROCESSING



Hand Blenders



Product code	HBL-1430	HBK-800BR	HBK-1601BR
Type	Hand	Hand	Hand
Power, W	700	800	900
Power modes	2	2 (smooth adjustment)	Adjustment by pressure
Body/beaker material	Plastic	Metal	Metal; soft-touch handle
Detachable blending shaft	Stainless steel	Stainless steel	Stainless steel
Blades	Stainless steel	Stainless steel	X-shaped titanium coated blades
Accessories	Chopper, 300 ml; mixing/measuring beaker, 600 ml; whisk	Mixing/measuring beaker, 600 ml; whisk	Chopper, 500 ml; mixing/measuring beaker, 600 ml; whisk
Dimensions (w × h × d), mm	110 × 230 × 220	120 × 240 × 160	130 × 250 × 240
Weight, kg	1,25	1,18	1,63



Product code	HBG-600B	HBG-600BWH	HBG-800B
Type	Hand	Hand	Hand
Power, W	600	600	800
Power modes	Two operation modes: normal, turbo; five speed levels	Two operation modes: normal, turbo; five speed levels	Two operation modes: normal, turbo; five speed levels
Body/beaker material	Plastic	Plastic	Plastic with metal inserts
Detachable blending shaft	Stainless steel	Stainless steel	Stainless steel
Blades	Stainless steel	Stainless steel	Stainless steel
Accessories		Mixing/measuring beaker, 600 ml; whisk	Mixing/measuring beaker, 600 ml
Dimensions (w × h × d), mm	80 × 80 × 400	160 × 120 × 240	160 × 120 × 240
Weight, kg	0,825	1,09	1,04



Product code	<u>HBG-800BDWHCH</u>	<u>HBG-1000BCHP</u>	<u>HBSG-1000WHCHSL</u>
Type	Hand	Hand	Hand
Power, W	800	1 000	1 000
Power modes	Two operation modes: normal, turbo; five speed levels	Two operation modes: normal, turbo; five speed levels	Two operation modes: normal, turbo; five speed levels
Body/beaker material	Plastic with metal inserts	Plastic with metal inserts	Plastic with metal inserts
Detachable blending shaft	Stainless steel	Stainless steel	Stainless steel
Blades	Stainless steel	Stainless steel	Stainless steel
Accessories	Mixing/measuring beaker, 600 ml; chopper, 500 ml; beaters	Mixing/measuring beaker, 600 ml; chopper, 500 ml; purée attachment	Mixing/measuring beaker, 600 ml; bowl, 2,000 ml; whisk; dicing attachment; French fries attachment; shredding attachment; grater; pusher
Dimensions (w × h × d), mm	140 × 250 × 240	140 × 250 × 340	230 × 270 × 300
Weight, kg	1,594	1,742	3,377

Choppers



Product code	<u>CHK-4001BR</u>	<u>CHK-4001W</u>
Power, W	400	400
Body material	Stainless steel with soft-touch lid	Plastic
Beaker material and capacity	Glass, 1 L	Glass, 1 L
Blades	Four titanium coated stainless steel blades	Four titanium coated stainless steel blades
Dimensions (w × h × d), mm	170 × 240 × 180	171 × 240 × 170
Weight, kg	1,85	1,85

Mixers



Product code	<u>HMC-3000W</u>	<u>HMK-4006W</u>	<u>KSTM-500W</u>	<u>KSTM-8040</u>
Type	Hand	Hand	Countertop	Planetary
Power, W	300	400	500	800
Number of speed settings	5	5	5	6
TURBO mode	Yes	Yes	Yes	Yes
Accessories	Chrome-plated whisks (2 pcs); chrome-plated hooks (2 pcs)	Chrome-plated whisks (2 pcs); chrome-plated hooks (2 pcs); accessory storage container	Rotating plastic bowl, 3.2 L; bowl lid; chrome-plated whisks (2 pcs); chrome-plated hooks (2 pcs)	Stainless steel bowl, 4 L; kneading hook; beater; whisk; bowl lid
Dimensions (w x h x d), mm	100 x 190 x 210	190 x 170 x 220	220 x 220 x 300	390 x 330 x 230
Weight, kg	1,201	1,65	2,37	4,87



Product code	<u>KSTM-8041</u>	<u>KSTM-8042</u>	<u>KSTM-8043</u>	<u>KSTM-8044</u>
Type	Planetary	Planetary	Planetary	Planetary
Power, W	800	800	800	800
Number of speed settings	6	6	6	6
TURBO mode	Yes	Yes	Yes	Yes
Accessories	Stainless steel bowl, 4 L; kneading hook; beater; whisk; bowl lid	Stainless steel bowl, 4 L; kneading hook; beater; whisk; bowl lid	Stainless steel bowl, 4 L; kneading hook; beater; whisk; bowl lid	Stainless steel bowl, 4 L; kneading hook; beater; whisk; bowl lid
Dimensions (w x h x d), mm	390 x 330 x 230	390 x 330 x 230	390 x 330 x 230	390 x 330 x 230
Weight, kg	4,87	4,87	4,87	4,87



Product code	<u>SCK-839B</u>	<u>SCK-893AVOCADO</u>	<u>SCK-893LEMON</u>	<u>SCK-893PASTA</u>
Material	Tempered glass	Tempered glass	Tempered glass	Tempered glass
Weighing step, g	1	1	1	1
Max. weight, kg	5	5	5	5
Control type	Touch	Touch	Touch	Touch
Dimensions (w × d), mm	240 × 150	200 × 180	200 × 180	200 × 180
Batteries	2 × CR2032	2 × AAA	2 × AAA	2 × AAA
Weight, kg	0,49	0,48	0,49	0,49



Product code	<u>SCK-893W</u>	<u>SCK-893WATERMELON</u>	<u>SCK-898R</u>	<u>SCK-900BGR</u>
Material	Tempered glass	Tempered glass	Stainless steel	Plastic
Weighing step, g	1	1	1	1
Max. weight, kg	5	5	5	5
Control type	Touch	Touch	Touch	Touch
Dimensions (w × d), mm	200 × 180	200 × 180	220 × 163	175 × 205
Batteries	2 × AAA	2 × AAA	2 × CR2032	2 × CR2033
Weight, kg	0,47	0,49	0,44	0,4



Product code	<u>SC10GREEN</u>	<u>SC10</u>
Material	Plastic	Plastic
Weighing step, g	50	50
Max. weight, kg	50	50
Control type	Electronic	Electronic
Dimensions (w × d), mm	200 × 18	200 × 18
Batteries	1 × CR2032	1 × CR2032
Weight, kg	0,14	0,14

Kitchen Machines



Product code	KMCH-K1500SS
Power, W	1 500
Number of speed settings	6 + Pulse
Body material	Aluminum; metal gearbox
Bowl capacity, L	6
Bowl lid	Yes
Accessories	Whisk, beater, kneading hook; meat grinding attachment; 1.5 L blender jar; attachment for making kebbe and sausages; attachment for making cookies and pasta; three shredders

Meat Grinders



Product code	MGL-1730R	MGL-2050R	MGL-1790R
Max. power, W	1 700	1 800	1 700
Reverse function	Yes	Yes	Yes
Processing capacity, kg/min	1,6	1,6	1,6
Overload protection	Yes	Yes	Yes
Perforated discs included	Medium grind, 5 mm; coarse grind, 7 mm	Fine grind, 3 mm; medium grind, 5 mm; coarse grind, 7 mm	Medium grind, 5 mm; coarse grind, 7 mm
Accessories	Attachment for making kebbe and sausages; pusher	Attachment for making kebbe and sausages; attachment for making tomato juice; pusher	Attachment for making kebbe and sausages; attachment for making tomato juice; pusher
Body material	Plastic	Plastic	Metal
Possibility of washing removable metal parts in the dishwasher	No	No	No
Dimensions (w × h × d), mm	290 × 210 × 260	260 × 250 × 320	230 × 250 × 290
Weight, kg	2,88	4,27	3,37



Product code	<u>MGK-1900</u>	<u>MGK-2100</u>	<u>MGK-2400</u>
Max. power, W	1 900	2 100	2 400
Reverse function	Yes	Yes	Yes
Processing capacity, kg/min	1,8	2	2.2
Overload protection	Yes	Yes	Yes
Perforated discs included	Fine grind, 3 mm; medium grind, 5 mm; coarse grind, 7 mm	Fine grind, 3 mm; medium grind, 5 mm; coarse grind, 7 mm	Fine grind, 3 mm; medium grind, 5 mm; coarse grind, 7 mm
Accessories	Four graters (large, standard, shredder, for potato pancakes); attachment for making kebbe and sausages; pusher	Four graters (large, standard, shredder, for potato pancakes); attachment for making kebbe and sausages; burger press; attachment for making tomato juice; pusher	Four graters (large, standard, shredder, for potato pancakes); attachment for making kebbe and sausages; attachment for making tomato juice; pusher
Body material	Plastic	Plastic	Plastic
Possibility of washing removable metal parts in the dishwasher	No	No	No
Dimensions (w × h × d), mm	500 × 200 × 280	480 × 190 × 280	480 × 190 × 280
Weight, kg	4,18	4,59	4,59



Product code	<u>MGA-1735R</u>	<u>MGA-1750R</u>	<u>MGA-2300J</u>
Max. power, W	1 600	1 600	1 750
Reverse function	Yes	Yes	Yes
Processing capacity, kg/min	1,6	1,6	2
Overload protection	Tak	Tak	Tak
Perforated discs included	Medium grind, 5 mm; coarse grind, 7 mm; kebbe & sausage disc	Medium grind, 5 mm; coarse grind, 7 mm; kebbe & sausage disc	Medium grind, 5 mm; coarse grind, 7 mm; kebbe & sausage disc
Accessories	Kebbe & sausage attachment; pusher	3 graters (small, large, shredder); kebbe & sausage attachment; pusher	4 graters (small, large, shredder, for making potato pancakes); kebbe & sausage attachment; pusher
Body material	Plastic	Plastic	Plastic
Possibility of washing removable metal parts in the dishwasher	No	No	No
Dimensions (w × h × d), mm	180 × 300 × 330	222 × 240 × 450	220 × 380 × 520
Weight, kg	3,23	3,88	7,2

Coffee Grinders



	<u>KCG-8805</u>	<u>WCG-8301</u>	<u>KGC-1508W</u>
Product code	<u>KCG-8805</u>	<u>WCG-8301</u>	<u>KGC-1508W</u>
Type	Rotary	Rotary	Rotary
Power, W	100	200	150
Body material	Plastic	Plastic/Stainless steel	Plastic
Bean container capacity, g	45	60	80
Blades	Long stainless steel blades	Long stainless steel blades	Long stainless steel blades
Protection	Operation is only possible when the cover is pressed	Operation is only possible when the cover is pressed	Operation is only possible when the cover is pressed
Features	Storage space for power cable	Storage space for power cable; removable grinding bowl	Grinding spices, nuts, etc.; non-slip rubber feet
Weight, kg	0,7	0,95	0,662

Slicers



	<u>SDK-200S</u>
Product code	<u>SDK-200S</u>
Power, W	150
Blade material	Stainless steel
Blade diameter, mm	190
Cut thickness, mm	1 to 15
Additional features	Inclined cutting table; non-slip feet
Dimensions (w x h x d), mm	270 x 280 x 420
Weight, kg	4,5

COOKING



Toasters



Product code	T-K210	T-K301E	T-F400G	T-K200
Power, W	1000	800	930	800
Body material	Stainless steel	Plastic	Plastic	Stainless steel
Number of slots	2	2	2	2
Number of heating modes	10	7	7	7
Features	Heating; defrosting; auto shut-off	Heating; defrosting; auto shut-off	Heating; defrosting; auto shut-off	Heating; defrosting; auto shut-off
Crumb tray	Yes	Yes	Yes	Yes

Sandwich Makers



Product code	SM-H100W	SM-H110BGR	SM-H110BSN
Power, W	700	700	700
Type	Sandwich maker	Grill sandwich maker	Sandwich maker
Number of sandwiches, pcs	2	1	2
Number of replaceable plates, pcs	-	-	-
Surface coating	Non-stick	Non-stick	Non-stick
Light indicator	Yes	Yes	Yes
Dimensions (w x h x d), mm	90 x 240 x 240	110 x 260 x 260	110 x 260 x 260
Weight, kg	1,2	1,5	1,5

Multi Makers



Product code	SM-H400S	SM-H300B	SM-H500B
Power, W	700	700	700
Type	Sandwich maker, waffle maker, grill	Sandwich maker, waffle maker, grill	Sandwich maker, waffle maker, grill, crepe maker
Number of sandwiches, pcs	2	2	2
Number of replaceable plates, pcs	4	3	5
Surface coating	Non-stick	Non-stick	Non-stick
Light indicator	Yes	Yes	Yes
Dimensions (w x h x d), mm	260 x 290 x 140	261 x 290 x 141	261 x 290 x 141
Weight, kg	2,69	2,69	2,79



Product code	<u>GK-2000M</u>	<u>GK-STC20</u>	<u>GH-1800MB</u>
Power, W	2 000	2 000	1 800
Number of modes	6	6	Manual mode selection
Body material	Metal	Metal	Metal, plastic
Control type	Mechanical	Touch	Mechanical
Thermostat	Mechanical	Electronic	Mechanical
Heating plate coating	Ceramic	Non-stick	Ceramic
Additional features	Fixation of the upper part in different positions; operation and heating light indication; removable plates and fat drip tray for easy cleaning	Grilling level and temperature adjustment; auto determination of product thickness; possibility of grilling on two plates at the same time with separate temperature settings for each plate; auto shut-off and overheat protection	The possibility of cooking in the unfolded position on 2 plates simultaneously; removable oil tray

Electric BBQ Grill



Product code	<u>VEG-HY1000</u>
Power, W	900
Control type	Mechanical
Body material	Stainless steel, aluminum casing
Overheat protection	Yes
Number of skewers, pcs	5
Features	Double U-shaped heating elements made of high-quality stainless steel steel; convenient handle for transportation

Electric Hobs



Product code	ECS-J110G	ECS-J115W	ECS-J220G
Heating element type	Cast iron, disc	Cast iron, disc	Cast iron, disc
Power, W	1 000	1 500	1 000 + 1 000
Number of burners	1	1	2
Burner diameter, mm	155	185	155/155
Control type	Mechanical regulator	Mechanical regulator	Mechanical regulator
Thermostat	Mechanical	Mechanical	Mechanical
Additional features	Protection against overheating of heating elements; protection against power surges; light indication	Protection against overheating of heating elements; protection against power surges; light indication	Protection against overheating of heating elements; protection against power surges; light indication



Product code	ECS-J225W
Heating element type	Cast iron, disc
Power, W	1 000 + 1 500
Number of burners	2
Burner diameter, mm	155/185
Control type	Mechanical regulator
Thermostat	Mechanical
Additional features	Protection against overheating of heating elements; protection against power surges; light indication




Product code	ICS-B100	ICS-B116	ICS-B118
Heating element type	Induction	Induction	Induction
Power, W	2 000	1 800	1 800
Number of burners	1	1	1
Burner diameter, mm	190	190	190
Control type	Push-button	Touch	Touch
Thermostat	Electronic	Mechanical	Electronic
Additional features	Timer (1-180 min); 7 cooking modes	Timer (1-180 min); temperature adjustment (60-240 °C); auto shut-off after 2 hours of inactivity; protection against power surges	Timer (1-180 min); "Boost" function - intensive heating technology; auto shut-off after 2 hours of inactivity; protection against power surges



Product code	ICS-B216	ICS-B217	ICS-B218
Heating element type	Induction	Induction	Induction
Power, W	1 300 + 1 600	1 300 + 1 600	1 300 + 1 800
Number of burners	2	2	2
Burner diameter, mm	145/167	145/167	190/190
Control type	Touch	Touch	Touch
Thermostat	Mechanical	Electronic	Electronic
Additional features	Timer (1-180 min); auto shut-off after 2 hours of inactivity; protection against power surges	Timer (1-180 min); auto shut-off after 2 hours of inactivity; protection against power surges	Timer (1-180 min); "Boost" function - intensive heating technology; auto shut-off after 2 hours of inactivity; protection against power surges

Food Dehydrators



Product code	FDB-1138	FDB-5320	FDB-5321T	FDB-5385
Power, W	550	245	250	520
Number of tiers	11	5	5	5
Tier size, mm	230 × 295	Ø 320	Ø 320	Ø 385
Thermostat	Mechanical	Mechanical	Electronic	Mechanical
Temperature adjustment, °C	40-70	35-70	40-70	35-70
Timer, h	1 to 48	-	1 to 48	-
Additional features	LED display	-	LED display	-

Slow Cookers



Product code	MC-X42X	MC-X45CH	MC-X16X
Power, W	860	860	860
Number of auto programs, pcs	42	45	16
"Your Recipe" program	Yes	Yes	Yes
Bowl capacity, L	4	4	4
Bowl material	Non-stick ceramic coating	Non-stick ceramic coating	Non-stick coating
LCD display	Yes	Yes	Yes
Reheat function	Yes	Yes	Yes
Delayed start	Yes	Yes	Yes
Accessories	Measuring beaker; soup spoon; rice spoon; steam cooker	Measuring beaker; soup spoon; rice spoon; steam cooker	Measuring beaker; soup spoon; rice spoon; steam cooker
Cookbook	Yes	Yes	Yes
Dimensions (w × h × d), mm	300 × 310 × 300	300 × 320 × 300	300 × 320 × 300
Weight, kg	3,32	3,35	3,2



Product code	DMC-SA1212SB	DMC-SS1812B	MC-P17	MC-P21
Power, W	900	900	860	860
Number of auto programs, pcs	16	16	17	21
"Your Recipe" program	Yes	Yes	Yes	Yes
Bowl capacity, L	1,5/1,5	1,5/1,5	5	5
Bowl material	Daikin non-stick coating	Daikin non-stick coating	Non-stick ceramic coating	Non-stick ceramic coating
LCD display	Yes	Yes	Yes	Yes
Reheat function	Yes	Yes	Yes	Yes
Delayed start	Yes	Yes	Yes	Yes
Accessories	Measuring beaker; soup spoon; rice spoon; steam cooker, 2 pcs	Measuring beaker; soup spoon; rice spoon; steam cooker, 2 pcs	Measuring beaker; soup spoon; rice spoon; steam cooker	Measuring beaker; soup spoon; rice spoon; steam cooker
Cookbook	Yes	Yes	Yes	Yes
Dimensions (w × h × d), mm	300 × 320 × 300	207 × 405 × 310	290 × 310 × 290	291 × 310 × 290
Weight, kg	3,2	5	3,17	3,16



Product code	MC-P13	MC-P17BRZ	MC-P17DGF
Power, W	860	860	860
Number of auto programs, pcs	13	17	17
"Your Recipe" program	Yes	Yes	Yes
Bowl capacity, L	5	5	5
Bowl material	Non-stick ceramic coating	Non-stick ceramic coating	Non-stick ceramic coating
LCD display	Yes	Yes	Yes
Reheat function	Yes	Yes	Yes
Delayed start	Yes	Yes	Yes
Accessories	Measuring beaker; soup spoon; rice spoon; steam cooker	Measuring beaker; soup spoon; rice spoon; steam cooker	Measuring beaker; soup spoon; rice spoon; steam cooker; deep fry basket
Cookbook	Yes	Yes	Yes
Dimensions (w × h × d), mm	400 × 270 × 300	340 × 310 × 320	410 × 270 × 310
Weight, kg	3,8	3,56	4,78

Pressure Cookers



Product code	MPC-P225	MPC-P226
Power, W	900	900
Number of auto programs, pcs	22	22
"Your Recipe" program	Yes	Yes
Bowl capacity, L	5	6
Bowl material	Non-stick ceramic coating	Non-stick ceramic coating
LCD display	Yes	Yes
Reheat function	Yes	Yes
Delayed start	Yes	Yes
Accessories	Measuring beaker; soup spoon; rice spoon; steam cooker; deep fry basket	Measuring beaker; soup spoon; rice spoon; steam cooker; deep fry basket
Cookbook	Yes	Yes
Dimensions (w × h × d), mm	320 × 350 × 320	321 × 380 × 320
Weight, kg	5,4	5,75

Microwave Ovens



Product code	GO-S723W	GO-S724W	GO-S721W
Capacity, L	20	20	20
Output power, W	700	700	700
Control type	Mechanical	Mechanical	Mechanical
Color	White	White	White
Auto programs (Menu)	-	-	-
Features	Reheating/cooking; timer; defrosting	Reheating/cooking; timer; defrosting	Reheating/cooking; timer; defrosting
Power levels	6	6	6
Turntable diameter, cm	24,5	24,5	24,5
Dimensions (w × h × d), cm	46,6 × 24,3 × 33,6	46,6 × 24,3 × 33,6	45,2 × 26,2 × 34,5
Weight, kg	9,5	9,5	10,5



Product code	<u>GO-S725W</u>	<u>GO-S825S</u>	<u>GO-E725S</u>
Capacity, L	20	20	20
Output power, W	700	800	700
Control type	Mechanical	Mechanical	Electronic
Color	White	Silver	Silver
Auto programs (Menu)	-	-	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Pizza; Popcorn
Features	Reheating/cooking; timer; defrosting	Reheating/cooking; timer; defrosting	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; clock; child lock
Power levels	6	6	6
Turntable diameter, cm	24,5	24,5	24,5
Dimensions (w x h x d), cm	45,2 x 26,2 x 34,5	45,2 x 26,2 x 34,4	45,2 x 26,2 x 34,5
Weight, kg	10,5	11,5	10,5



Product code	<u>GO-E735S</u>	<u>GO-E745S</u>	<u>GO-E745GB</u>
Capacity, L	20	20	20
Output power, W	700	700	700
Control type	Electronic	Electronic	Electronic
Color	Gray	Gray	Black
Auto programs (Menu)	Milk/Coffee; Potato; Auto Reheat; Fish; Pizza; Popcorn	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Pizza; Popcorn	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Pizza; Popcorn
Features	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; clock; child lock	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; ECO mode; silent mode; clock; child lock	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; ECO mode; silent mode; clock; child lock
Power levels	6	5	6
Turntable diameter, cm	24,5	24,5	24,5
Dimensions (w x h x d), cm	45,2 x 26,2 x 35	45,2 x 26,2 x 35	45,2 x 26,2 x 34,5
Weight, kg	10,5	10,5	10,9



Product code	GO-E845GB	GO-E865B	GO-E923W
Capacity, L	20	20	23
Output power, W	800	800	900
Control type	Electronic	Electronic	Electronic
Color	Black	Black	White
Auto programs (Menu)	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Pizza; Popcorn	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Pizza; Popcorn	Meat; Poultry; Fish
Features	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; clock; child lock	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; child lock	Reheating/cooking; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start
Power levels	6	8	10
Turntable diameter, cm	24,5	Without turntable	27
Dimensions (w × h × d), cm	45,2 × 26,2 × 34,5	45,7 × 27,1 × 36,2	48,3 × 28,1 × 35,4
Weight, kg	10,5	12	13



Product code	GO-M923W	GO-M923B	GO-EGR923BL
Capacity, L	23	23	23
Output power, W	900	900	900
Control type	Mechanical	Mechanical	Electronic
Color	White	Black	Silver, black
Auto programs (Menu)	-	-	Milk/Coffee; Rice; Spaghetti; Potato; Auto Reheat; Fish; Poultry; Meat; BBQ
Features	Reheating/cooking; timer; defrosting	Reheating/cooking; timer; defrosting	Reheating/cooking; grill; combined; timer; quick defrosting/defrosting by weight; multi-stage cooking; delayed start; clock; child lock
Power levels	6	6	11
Turntable diameter, cm	27	27	27
Dimensions (w × h × d), cm	48,3 × 28,1 × 35,2	48,3 × 28,1 × 40	48,3 × 28,1 × 36
Weight, kg	13,6	13,6	14,1



Product code	WO-823EB	GO-S724B
Capacity, L	23	20
Output power, W	800	700
Control type	Electronic	Mechanical
Color	Silver, black	Black
Auto programs (Menu)	Potatoes; Pasta; Pizza; Popcorn; Vegetables; Drinks; Reheating; Fish; Meat	-
Features	Reheating/cooking; timer; defrosting; delayed start; ECO mode; child lock	Reheating/cooking; timer; defrosting
Power levels	10	6
Turntable diameter, cm	28,5	24,5
Dimensions (w x h x d), cm	48 x 29,25 x 33,7	46,6 x 24,3 x 33,6
Weight, kg	14,1	9,5

Electric Ovens



Product code	MEO-S40GW	MEO-S40GB	MEO-S40FGG
Power, W	1 300	1 300	1 300
Inner chamber capacity, L	40	40	40
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined	Top, bottom, combined	Top, bottom, combined, convection
Convection	No	No	Yes
Double glass	No	No	Yes
Features	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate



Product code	MEO-S45GG	MEO-S45GBG	MEO-S45FGB
Power, W	1 600	1 600	1 600
Inner chamber capacity, L	45	45	45
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined	Top, bottom, combined	Top, bottom, combined, convection
Convection	No	No	Yes
Double glass	No	No	Yes
Features	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate



Product code	MEO-S45FGG	MEO-S50GB	MEO-S50FBG
Power, W	1 600	1 600	1 600
Inner chamber capacity, L	45	50	50
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined, convection	Top, bottom, combined, grill (skewer)	Top, bottom, combined, convection
Convection	Yes	No	Yes
Double glass	Yes	No	Yes
Features	Inner chamber backlight; improved thermal insulation	Inner chamber backlight; improved thermal insulation; chrome-plated heating elements	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Skewer; rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate



Product code	MEO-N40GR	MEO-N40W	MEO-N40CB
Power, W	1 300	1 300	1 300
Inner chamber capacity, L	40	40	40
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined	Top, bottom, combined	Top, bottom, combined, convection
Convection	No	No	Yes
Double glass	No	No	No
Features	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate



Product code	MEO-N48GR	MEO-N48RB	MEO-N48CW
Power, W	1 700	1 700	1 700
Inner chamber capacity, L	48	48	48
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined	Top, bottom, combined, grill (skewer)	Top, bottom, combined, convection
Convection	No	No	Yes
Double glass	No	No	Yes
Features	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate



Product code	MEO-N48RCGR	MEO-N52CW	MEO-N52RCGR
Power, W	1 700	1 700	1 700
Inner chamber capacity, L	48	52	52
Internal coating	Enamel	Enamel	Enamel
Timer, min	90	90	90
Heating modes	Top, bottom, combined, convection, grill (skewer)	Top, bottom, combined, convection	Top, bottom, combined, convection, grill (skewer)
Convection	Yes	Yes	Yes
Double glass	Yes	Yes	Yes
Features	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element	Inner chamber backlight; improved thermal insulation; concealed heating element
Accessories	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate	Rectangular baking tray; round baking tray; grill grate

Freestanding Cookers



Product code	FSC-F5060BW	FSC-F5060MW	FSC-F5060AW
Type	Combined	Combined	Combined
Dimensions (w × d), cm	50 × 60	50 × 60	50 × 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	4 (gas)	4 (gas)
Cooktop grate material	Enamelled steel	Enamelled steel	Cast iron
Oven capacity, L	52	52	52
Timer	No	No	Mechanical
Convection	No	No	No
Guide type	Profiled	Profiled	Profiled
Additional features	Push-button electric ignition, metal cover, backlight, cookware drawer	Electric ignition, glass cover, backlight, cookware drawer	Electric ignition, grill, removable door glass, glass cover, backlight, cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, deep baking tray, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSC-F5060PW	FSC-F5060PB	FSC-F5060PS
Type	Combined	Combined	Combined
Dimensions (w × d), cm	50 × 60	50 × 60	50 × 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	4 (gas)	4 (gas)
Cooktop grate material	Cast iron	Cast iron	Cast iron
Oven capacity, L	52	52	52
Timer	Mechanical	Mechanical	Mechanical
Convection	Yes	Yes	Yes
Guide type	Profiled	Profiled	Profiled
Additional features	Electric ignition, grill, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, grill, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, grill, removable door glass, glass cover, backlight, cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, deep baking tray, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, deep baking tray, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSC-F6060AW	FSC-F6060CW	FSCF-C604CB
Type	Combined	Combined	Combined
Dimensions (w × d), cm	60 × 60	60 × 60	60 × 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	3 gas burners + 1 cast iron plate (Hot plate)	2 gas burners + 2 cast iron plates (Hot plate)
Cooktop grate material	Enamelled steel	Enamelled steel	Enamelled steel
Oven capacity, L	64	64	58
Timer	Mechanical	Mechanical	Mechanical
Convection	No	No	No
Guide type	Removable	Removable	Profiled
Additional features	Electric ignition, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSC-F6060PW	FSC-F6060PS	FSCF-C604W
Type	Combined	Combined	Combined
Dimensions (w x d), cm	60 x 60	60 x 60	60 x 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	4 (gas)	4 (gas)
Cooktop grate material	Cast iron	Cast iron	Cast iron
Oven capacity, L	64	64	72
Timer	Mechanical	Mechanical	Mechanical
Convection	Yes	Yes	No
Guide type	Removable	Removable	Removable
Additional features	Electric ignition, smart burner timer, grill, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, smart burner timer, grill, removable door glass, glass cover, backlight, cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, deep baking tray, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSCF-C606GB	FSCF-C606W	FSCF-C606BI
Type	Combined	Combined	Combined
Dimensions (w x d), cm	60 x 60	60 x 60	60 x 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	4 (gas)	4 (gas)
Cooktop grate material	Cast iron	Cast iron	Cast iron
Oven capacity, L	66	66	66
Timer	Mechanical	Mechanical	Mechanical
Convection	Yes	Yes	No
Guide type	Removable	Removable	Removable
Additional features	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSCF-C606MB	FSCF-C606ST	FSCF-C607CR
Type	Combined	Combined	Combined
Dimensions (w x d), cm	60 x 60	60 x 60	60 x 60
Gas control	Cooktop	Cooktop	Cooktop
Number and type of burners	4 (gas)	4 (gas)	4 (gas)
Cooktop grate material	Cast iron	Cast iron	Cast iron
Oven capacity, L	66	66	53
Timer	Electronic	Mechanical	Analog
Convection	Yes	Yes	Yes
Guide type	Removable	Removable	Profiled
Additional features	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, skewer, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)



Product code	FSCF-C606B	FSCF-C606BG	FSCF-E604W
Type	Combined	Combined	Electric
Dimensions (w x d), cm	60 x 60	60 x 60	60 x 60
Gas control	Cooktop	Cooktop	-
Number and type of burners	4 (gas)	4 (gas)	4 cast iron plates (Hot plate)
Cooktop grate material	Cast iron	Cast iron	-
Oven capacity, L	53	53	53
Timer	Analog	Analog	Mechanical
Convection	Yes	Yes	No
Guide type	Profiled	Profiled	Profiled
Additional features	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, skewer, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, skewer, standard baking tray, grate, nozzle set for natural gas, user manual (warranty card)	Cooker, standard baking tray, grate, user manual (warranty card)



Product code	FSCF-E605B
Type	Electric
Dimensions (w x d), cm	60 x 60
Gas control	-
Number and type of burners	4 cast iron plates (Hot plate)
Cooktop grate material	-
Oven capacity, L	53
Timer	Mechanical
Convection	Yes
Guide type	Profiled
Additional features	Electric ignition, removable door glass, glass cover, backlight, hinged cookware drawer
Set includes	Cooker, standard baking tray, grate, user manual (warranty card)

A close-up photograph of a cordless stick vacuum cleaner. The vacuum is primarily white with a large, clear blue dust container in the middle. The handle at the top has a teal-colored trigger and a power button. The base is white with a black motor housing and a clear dust bin. The vacuum is positioned on a light-colored carpet, with a white upholstered chair leg visible in the background. The Ardesto logo is in the top right corner, and the text 'HOUSEHOLD APPLIANCES' is at the bottom.

ARDESTO

HOUSEHOLD APPLIANCES

CORDLESS VACUUM CLEANERS





Product code	CVC-D02PB	CVC-D0611BB	CVC-X0521WG
Type	Portable car	Household cordless	Household cordless
Color	Black	Black blue	White gray
Dust collector capacity, L	0,15	0,6	0,5
Set includes	Power adapter; "2 in 1" brush for hard-to-reach areas; stand for easy storage	Wall mount for vertical parking; turbo brush; furniture brush; brush for hard-to-reach areas	Wall mount for vertical parking; turbo brush; brush for hard-to-reach areas
Output filter	HEPA	HEPA	HEPA
Battery life, min	12	18 (turbo mode); 60 (normal mode)	17 (turbo mode); 35 (normal mode)
Full charge time, h	Up to 3	Up to 5	Up to 5
Additional features	-	Brush illumination; two speed settings	Removable module for quick cleaning; two speed settings



Product code	CVC-X0621WB	CVC-X1011BB
Type	Household cordless	Household cordless
Color	White blue	Black blue
Dust collector capacity, L	0,55	1
Set includes	Charging base; turbo brush; brush for hard-to-reach areas	Wall mount for vertical parking; turbo brush
Output filter	HEPA	HEPA
Battery life, min	17 (turbo mode); 35 (normal mode)	22 (turbo mode); 50 (normal mode)
Full charge time, h	Up to 5	Up to 6
Additional features	Removable module for quick cleaning; two speed settings	Brush illumination; two speed settings

MOSQUITO REPELLENT LANTERNS





Product code	MSK-SB3554	MSK-SB3553	MSK-SB3555
Installation type	Desktop/suspended	Desktop/suspended	Desktop/suspended
Color temperature, K	6 000-6 500	6 000-6 500	6 000-6 500
Installation place	Outdoors; indoors	Outdoors; indoors	Outdoors; indoors
Battery type	Lithium-polymer	Lithium-polymer	Lithium-polymer
Battery capacity, mAh	1 200	2 000	2 000
Lighting modes	20 %; 50 %; 100 %	20 %; 50 %; 100 %	20 %; 50 %; 100 %
Moisture resistance	IPX6	IPX4	IPX4
Solar panel	Yes	Yes	No
Additional functions	-	Photoelectric sensor; self-cleaning function; insect compartment	Vacuum fan; automatic escape protection device; insect compartment
Size (w × h × d), mm	90 × 140 × 90	180 × 240 × 180	270 × 360 × 270
Weight, kg	0,282	0,97	1,918

ARDESTO



GARMENT CARE

Fabric Pill Removers



Product code	LSH-ZH1	LSH-Y1
Body material	Plastic	Plastic
Color	White, green	White
Blades	Stainless steel (3 pcs)	Stainless steel (3 pcs); 8,500 rpm rotation speed
Removable pill container	Yes	Yes (magnetic mounting)
Protection	Metal grid	Metal grid; lock function
Batteries	2 x AA	Built-in 1500 mAh lithium battery; charging via USB Type-C
Dimensions (w x h x d), mm	50 x 74 x 104	90 x 70 x 200
Weight, g	92	0,297

Irons



Product code	IR-C2230-BUR	IR-C2228-TQ	IR-C2232-BL
Type	Steam iron	Steam iron	Steam iron
Auto shut-off function	Yes	Yes	Yes
Continuous steam	35 g/min	35 g/min	35 g/min
Steam boost	70 g/min	70 g/min	70 g/min
Power, W	2 200	2 200	2 200
Sole cover type	Ceramic	Ceramic	Ceramic
Water tank capacity, ml	300	280	320
Body material	Plastic	Plastic	Plastic
Cable length, cm	190	190	190
Color	White, raspberry	White, light blue	White, blue
Dimensions (w x h x d), cm	30 x 13 x 11	30 x 13 x 11	30 x 14 x 11,5
Weight, kg	1,16	1,07	1,3



Product code	IR-B2234	IR-B2235	IR-B2245-E	IR-C2233-GR
Type	Steam iron	Steam iron	Steam iron	Steam iron
Auto shut-off function	Yes	Yes	Yes	Yes
Continuous steam	35 g/min	35 g/min	35 g/min	35 g/min
Steam boost	90-110 g/min	90-110 g/min	90-110 g/min	90-110 g/min
Power, W	2 400	2 400	2 400	2 200
Sole cover type	Ceramic	Ceramic	Ceramic	Ceramic
Water tank capacity, ml	350	450	400	340
Body material	Plastic	Plastic	Plastic	Plastic
Cable length, cm	190	190	190	190
Color	Purple, black	Black, gold	White, gray	Black, orange
Dimensions (w x h x d), cm	32 x 17 x 15	33 x 17 x 14	32 x 16 x 13	31 x 18 x 14
Weight, kg	1,42	1,51	1,49	1,49

Steamers



Product code	IR-C2230-BUR
Type	Vertical steamer
Auto shut-off function	Yes
Continuous steam	30 g/min
Steam boost	100 g/min
Power, W	1 785
Sole cover type	Stainless steel
Water tank capacity, ml	1 500
Body material	Plastic
Cable length, cm	190
Color	White, green
Dimensions (w x h x d), cm	34 x 34 x 36
Weight, kg	5,86


ARDESTO



BEAUTY & HEALTH CARE
PRODUCTS

HEALTH CARE





SCB-965BL



SCB-965CAT



SCB-965LEAVES


Product code	SCB-965BL	SCB-965CAT	SCB-965LEAVES
Material	Glass	Glass	Glass
Color	Multi-color	Multi-color	Multi-color
Weighing step, g	50	50	50
Max. weight, kg	150	150	150
Display	LED	LED	LED
Units	kg; lb:oz	kg; lb:oz	kg; lb:oz
Batteries	2 x AAA	2 x AAA	2 x AAA
Dimensions (w x h x d), cm	30 x 1,8 x 30	30 x 1,8 x 30	30 x 1,8 x 30
Weight, kg	1,3	1,3	1,3



SCB-965CAR



SCB-965CORK



SCB-965DOG

Product code	SCB-965CAR	SCB-965CORK	SCB-965DOG
Material	Glass	Glass	Glass
Color	Multi-color	Multi-color	Multi-color
Weighing step, g	50	50	50
Max. weight, kg	150	150	150
Display	LED	LED	LED
Units	kg; lb:oz	kg; lb:oz	kg; lb:oz
Batteries	2 x AAA	2 x AAA	2 x AAA
Dimensions (w x h x d), cm	30 x 1,8 x 30	30 x 1,8 x 30	30 x 1,8 x 30
Weight, kg	1,3	1,3	1,3



Product code	<u>SCB-965KNIT</u>	<u>SCB-965PEONIES</u>	<u>SCB-965PLANK</u>
Material	Glass	Glass	Glass
Color	Multi-color	Multi-color	Multi-color
Weighing step, g	50	50	50
Max. weight, kg	150	150	150
Display	LED	LED	LED
Units	kg; lb:oz	kg; lb:oz	kg; lb:oz
Batteries	2 × AAA	2 × AAA	2 × AAA
Dimensions (w × h × d), cm	30 × 1,8 × 30	30 × 1,8 × 30	30 × 1,8 × 30
Weight, kg	1,3	1,3	1,3



Product code	<u>SCB-965TRAVEL</u>	<u>SCB-965WHEAT</u>	<u>SCB-965MARMOT</u>
Material	Glass	Glass	Glass
Color	Multi-color	Multi-color	Multi-color
Weighing step, g	50	50	50
Max. weight, kg	150	150	150
Display	LED	LED	LED
Units	kg; lb:oz	kg; lb:oz	kg; lb:oz
Batteries	2 × AAA	2 × AAA	2 × AAA
Dimensions (w × h × d), cm	30 × 1,8 × 30	30 × 1,8 × 30	30 × 1,8 × 30
Weight, kg	1,3	1,3	1,3



Product code	POI-MD300W	POI-H350W	OI-MD600W	OI-R600WTB
Type	Portable	Portable	Stationary	Stationary
Color	White, gray	White, gray	White, gray	White, gray
Number of nozzles, pcs	2	7	8	3
Pressure modes	4	5	10	10
Pressure range, MPa	0,2-0,86	0,2-0,86	0,2-0,86	0,2-0,86
Pulsation frequency, m./min	1 400-1 800	1 400-1 800	1 200	1 400
Water tank capacity, ml	320	300	600	600
Set includes	Classic nozzles (2 pcs); USB cable	Nozzles of different types (7 pcs); power unit; USB cable; transportation case; nozzle storage case	Nozzles of different types (3 pcs); power unit	Nozzles of different types (8 pcs); 2 interchangeable toothbrush heads; power unit
Battery life	Up to 7 days	Up to 7 days	-	-
Protection	IPX7	IPX7	IPX4	IPX4

Electric Toothbrushes



Product code	ETB-003DOG	ETB-101W	ETB-112W	OI-R600WTB
Type	Sound	Sound	Sound	Sound
Color	White, gray	White	White	White
Operation modes	1	3	4	4
Vibration frequency, rpm	20 000	35 000	40 000	40 000
Set includes	3 interchangeable nozzles	USB cable	2 interchangeable nozzles; docking station with USB connector	2 interchangeable nozzles; docking station with standard plug
Power type	Batteries (2 x AAA)	Battery (350 mAh)	Battery (650 mAh)	Battery (650 mAh)
Battery life	Depends on batteries	Up to 25 days	Up to 25 days	Up to 25 days
Protection	IPX6	IPX7	IPX7	IPX7



Product code	ETB-211B	ETB-212CB
Type	Sound	Sound
Color	Black	Black
Operation modes	4	4
Vibration frequency, rpm	40 000	40 000
Set includes	5 interchangeable nozzles; docking station with standard plug; storage and transportation case	4 interchangeable nozzles; docking station with standard outlet and mouthwash glass; storage and transportation case
Power type	Battery (650 mAh)	Battery (650 mAh)
Battery life	Up to 25 days	Up to 25 days
Protection	IPX7	IPX7

BEAUTY



Hair Dryers



Product code	HD-503T	HD-Y210	HD-Y120T
Type	Travel	Standard	Travel
Power, W	1 200	1 750-2 100	1 200
Temperature modes	2	3	2
Number of speed settings	2	2	2
Features	Folding handle	Cool Shot function; auto cable rewind function	Folding handle
Dimensions (w × h × d), cm	17 × 23 × 7,5	20,9 × 24,5 × 9,3	12,6 × 20,7 × 6,7
Weight, g	340	610	340



Product code	HD-Y220PRO	HD-522
Type	Professional	Standard
Power, W	1 850-2 200	1 800-2 200
Temperature modes	3	3
Number of speed settings	2	2
Features	Cool Shot function; diffuser; AC motor	Cool Shot function
Dimensions (w × h × d), cm	21 × 28 × 8,8	25,5 × 26 × 9
Weight, g	620	480



Product code	HD-C100
Type	Hot-air hair brush
Power, W	1 000
Temperature modes	2
Rotation	Clockwise and counterclockwise
Brush diameter	40 mm, 50 mm
Attachments	2 removable attachments with ceramic coating
Features	Cool Shot Function
Weight, g	0,86

Professional Hair Dryers



Product code	HD-Y221PRO	HD-Y222PRO	HD-Y223PRO
Type	Professional	Professional	Professional
Power, W	2 100	2 200	2 200
Temperature modes	3	3	3
Number of speed settings	2	2	2
Body material	Plastic, soft-touch coating	Plastic, soft-touch coating	Plastic, soft-touch coating
Features	AC motor; overheat protection; Cool Shot function	AC motor; overheat protection; Cool Shot function	AC motor; overheat protection; Cool Shot function
Attachments	Diffuser, concentrator	Diffuser, concentrator	Diffuser, concentrator
Dimensions (w x h x d), cm	10 x 29 x 12	11 x 30 x 27	9 x 30 x 22
Weight, g	0,86	0,923	0,93

Curlers



Product code	HC-705	HC-726G	HC-730G
Type	Conical curler	For small curls	Curler
Purpose	Horizontal and vertical curls; natural wave effect	Small curls to add hair volume; afro curls	Horizontal and vertical curls; natural wave effect
Power, W	30	35	45
Heating temperature, °C	200	200	90-180
Heating element coating	Ceramic	Ceramic	Ceramic
Features	Power indicator; overheat protection	Power indicator; overheat protection; heat-resistant nylon glove included	6 temperature levels; auto shut-off after 60 minutes after switching on; heat-resistant nylon glove included
Dimensions (w x h x d), cm	35,5 x 3,5 x 3,5	38 x 3,5 x 3,5	35 x 5 x 6
Weight, g	235	250	320

Straighteners



Product code	HS-615D	HS-612	HSB-621
Type	Straightener	Straightener	Straightening brush
Purpose	Hair straightening and curling	Crimped hair effect; visual hair volume boost	Hair straightening and creating a smooth hairstyle
Power, W	50	65	70
Heating temperature, °C	110-230	110-215	80-230
Heating element coating	Ceramic	Ceramic	Ceramic
Features	Electronic control; LED display; soft-touch body coating; auto shut-off after 60 minutes after switching on	3 temperature levels; can be used for wet and dry hair; auto shut-off after 60 minutes after switching on	Electronic control; LED display; auto shut-off after 60 minutes after switching on
Dimensions (w × h × d), cm	32 × 3,5 × 3	30,5 × 4,5 × 5	32 × 5 × 8
Weight, g	340	390	390

Hair Clippers



Product code	HC-Y20-B	HC-Y30-DBS	HC-Y40-DBS
Blade material	Stainless steel	Ceramics; titanium coated stainless steel	Ceramics; titanium coated stainless steel
Cutting length range, mm	1-18	0,5-30	0,5-12
Number of attachments, pcs	1 (with length adjustment from 3 to 18 mm)	6	4
Number of length settings	7	11	9
Power type	Mains, battery	Mains, battery	Mains, battery
Set includes	Charger; lubricant; cleaning brush; 1 attachment	Charger; lubricant; cleaning brush; 6 attachments	Charger; lubricant; cleaning brush; 4 attachments
Run time, min	45	45	100
Full charge time, min	90	70	180



Product code	HC-Y10-B	HC-Y22-B	HC-Y32-B
Blade material	Stainless steel	Ceramic coated stainless steel	Ceramic coated stainless steel
Cutting length range, mm	0,5-10	0,1-18	0,5-30
Number of attachments, pcs	1	1	6
Number of length settings	10	6	6
Power type	Battery	Mains, battery	Battery
Run time, min	45	60	60
Full charge time, min	90	90	150

Trimmers



Product code	TR-Y5
Body material	Plastic
Blade material	Stainless steel
Color	Black
Power, rpm	7 000
Set includes	Trimmer; protective cap; cleaning brush
Power type	Battery (1 × AAA)

Epilators



Product code	LESH-Y305
Body material	Plastic
Color	Black and gold
Epilation module	18 tweezers (6 rows of 3 pairs)
Set includes	Epilator; protective cap; cleaning brush
Type of hair removal	Dry
Power type	Battery, 1000 mAh
Run time, min	40
Full charge time, min	80

Electric Shavers



	SHRR-B5WDR	SHRR-B8WDR	SHR-B8WDR
Product code	SHRR-B5WDR	SHRR-B8WDR	SHR-B8WDR
Type	Rotary	Rotary	Mesh
Power, W	5	8	8
Wet shaving	Yes	Yes	Yes
Number of speed levels	2	2	2
Moisture resistance	IPX7	IPX5	IPX7
Power	Lithium-ion battery, 800 mAh	Lithium-ion battery, 2,500 mAh	Lithium-ion battery, 800 mAh
LED display	Yes	Yes	Yes
Operation modes	Wireless and wired	Wireless and wired	Wireless and wired
Features	Charge level indication; low charge reminder; cleaning reminder; lock function; high performance brushless motor	Charge level indication; low charge reminder; cleaning reminder; lock function	Charge level indication; low charge reminder; cleaning reminder; lock function; retractable trimmer
Size (w x h x d), mm	100 x 70 x 170	90 x 70 x 180	11 x 50 x 190
Weight, g	0,318	0,345	0,36

ARDESTO



REFRIGERATION EQUIPMENT

Refrigerators

[DFM-50W](#)[DFM-50X](#)[DFM-90W](#)

Product code	DFM-50W	DFM-50X	DFM-90W
Total capacity, L	50	50	93
Number of shelves/boxes in refrigerator compartment, pcs	2	2	3
Number of shelves/drawers in freezer compartment, pcs	-	-	-
Cooling system	Static	Static	Static
Energy class	A+	A+	A+
Control type	Mechanical	Mechanical	Mechanical
Display	-	-	-
Features	Door reversal	Door reversal	Door reversal
Climate class	N/ST	N/ST	N/ST/T
Dimensions (w × h × d), cm	47,2 × 49,2 × 45	47,2 × 49,2 × 45	47,2 × 85 × 45
Weight, kg	13,7	13,7	21,7

[DFM-90X](#)[DTF-M212W143](#)[DTF-M212X143](#)

Product code	DFM-90X	DTF-M212W143	DTF-M212X143
Total capacity, L	93	204	204
Number of shelves/boxes in refrigerator compartment, pcs	3	3	3
Number of shelves/drawers in freezer compartment, pcs	-	2	2
Cooling system	Static	Static	Static
Energy class	A+	A+	A+
Control type	Mechanical	Mechanical	Mechanical
Display	-	-	-
Features	Door reversal	Door reversal	Door reversal
Climate class	N/ST/T	N/ST/T	N/ST
Dimensions (w × h × d), cm	47,2 × 85 × 45	55 × 143 × 55	55 × 143 × 55
Weight, kg	21,7	38,5	38,5



Product code	DDF-M260W177	DDF-M295W188	DDF-M295W188
Total capacity, L	260	295	295
Number of shelves/boxes in refrigerator compartment, pcs	3	4	4
Number of shelves/drawers in freezer compartment, pcs	2	3	3
Cooling system	Low Frost	Static	Total No Frost
Energy class	A+	A+	A+
Control type	Mechanical	Mechanical	Electronic
Display	-	-	Internal, LED indication
Features	Door reversal; Low Frost system, which reduces ice buildup in the freezer compartment	Door reversal; Low Frost system, which reduces ice buildup in the freezer compartment	Multi Air Flow system (uniform multi-flow cooling); Fresh Zone; door reversal
Climate class	N/ST/T	N/ST	N/ST/T
Dimensions (w × h × d), cm	56,8 × 177 × 54,7	54,5 × 189 × 59,5	63 × 188 × 59,5
Weight, kg	48	55,5	61



Product code	DNF-M295X188	DNF-M326W200	DNF-M326X200
Total capacity, L	295	321	321
Number of shelves/boxes in refrigerator compartment, pcs	4	4	4
Number of shelves/drawers in freezer compartment, pcs	3	3	3
Cooling system	Total No Frost	Total No Frost	Total No Frost
Energy class	A+	A++	A++
Control type	Electronic	Electronic	Electronic
Display	Internal, LED indication	External, LED indication	External, LED indication
Features	Multi Air Flow system (uniform multi-flow cooling); Fresh Zone; door reversal	Multi Air Flow system (uniform multi-flow cooling); Fresh Zone; door reversal	Multi Air Flow system (uniform multi-flow cooling); Fresh Zone; door reversal
Climate class	N/ST/T	N/ST/T	N/ST/T
Dimensions (w × h × d), cm	63 × 188 × 59,5	63 × 201 × 59,5	63 × 201 × 59,5
Weight, kg	61	61	61



Product code	DNF-M378BI200	DNF-M378GL200
Total capacity, L	378	378
Number of shelves/boxes in refrigerator compartment, pcs	4	4
Number of shelves/drawers in freezer compartment, pcs	3	3
Cooling system	Total No Frost	Total No Frost
Energy class	A+	A+
Control type	Electronic	Electronic
Display	External, digital	External, digital
Features	Auto closing door system; 90° door opening; Meat & Fish-Box (for storing fish and meat at a temperature of about 0 °C); door reversal	Auto closing door system; 90° door opening; Meat & Fish-Box (for storing fish and meat at a temperature of about 0 °C); door reversal
Climate class	N/ST/T	N/ST/T
Dimensions (w × h × d), cm	66 × 201,8 × 59,5	66 × 201,8 × 59,5
Weight, kg	74	74

Coolers



Product code	FRM-145ECM	FRM-200ECM	FRM-290E	FRM-145MCH
Usable capacity, L	142	198	290	142
Energy class	A+	A+	A+	A+
Temperature in freezer mode, °C	-12 to -24	-12 to -24	-12 to -24	-16 to -24
Temperature in refrigerator mode, °C	0 to +10	0 to +10	0 to +10	0 to +10
Run time, h	15	21	45	30
Number of shelves/boxes, pcs	1	1	2	1
Control type	Electronic, digital display	Electronic, digital display	Electronic, digital display	Mechanical
Climate class	N/SN/ST/T	N/SN/ST/T	N/SN/ST/T	N/SN/ST
Dimensions (w × h × d), cm	85 × 55 × 63,2	85 × 55 × 81,6	115,5 × 85 × 64,5	85 × 55 × 63,2
Weight, kg	23,5	27,8	42	23,5



Product code	FRM-200MCH	FRM-250MCH	FRM-300MCH	FRM-362MCH
Usable capacity, L	198	249	290	362
Energy class	A+	A+	A+	A+
Temperature in freezer mode, °C	-16 to -24	-12 to -24	-12 to -24	-12 to -24
Temperature in refrigerator mode, °C	0 to +10	-	0 to +10	0 to +10
Run time, h	34	46	57	50
Number of shelves/boxes, pcs	2	2	2	2
Control type	Mechanical	Mechanical	Mechanical	Mechanical
Climate class	N/SN/ST/T	N/SN/ST/T	N/SN/ST/T	N/SN/ST/T
Dimensions (w × h × d), cm	94,5 × 85 × 52,3	98,5 × 85 × 60	111,5 × 85 × 67	82,5 × 74,5 × 125,5
Weight, kg	33	36	42	47,1

Freezers



Product code	URM-85M60	URM-85M90	URM-160M	URM-N227E172
Usable capacity, L	60	60	227	261
Energy class	A+	A+	A+	A+
Temperature in freezer mode, °C	-12 to -24	-12 to -24	-12 to -24	-12 to -24
Temperature in refrigerator mode, °C	0	-	-	+2 to +8
Run time, h	9	9	16,6	15
Number of shelves/boxes, pcs	3	3	5	7
Control type	Mechanical	Mechanical	Mechanical	Electronic, LED indication
Climate class	N/ST	N/ST	N/SN/ST	N/SN/ST/T
Dimensions (w × h × d), cm	44,5 × 84,5 × 47,5	84,5 × 47,5 × 44,5	55 × 142 × 55	59,5 × 172,2 × 63,2
Weight, kg	20,1	20,1	42	60

Wine Coolers




Product code	WCF-M24	WCF-M34
Type	Freestanding	Freestanding
Cooling system	Static	Static
Number of bottles, pcs	24	34
Number of shelves, pcs	4	6
Total capacity, L	66	93
Energy class	A	A
Cooling temperature, °C	5 to 18	5 to 18
Control type	Electronic, touch	Electronic, touch
Features	LED backlight; glass door with UV filter; warning system for long door opening and temperature deviation	LED backlight; glass door with UV filter; warning system for long door opening and temperature deviation
Climate class	N	ST
Dimensions (w × h × d), cm	48 × 44 × 64,2	48 × 44 × 64,2
Weight, kg	24,5	28

Ice Makers



Product code	IM-A1200B	IM-A1200SS
Type	Domestic	Domestic
Water tank capacity, L	1,8	1,8
Max. ice production per day, kg	12	12
Ice container capacity, kg	0,6	0,6
Production cycle duration, min	8-9	8-9
Additional options/features	Self-cleaning function; power indicator, water shortage indicator and full ice container indicator	Self-cleaning function; power indicator, water shortage indicator and full ice container indicator
Power, W	100	100
Display	-	-
Color	Black	Stainless steel, black
Dimensions (w × h × d), cm	32 × 22 × 30,5	32 × 22 × 30,5
Weight, kg	7,5	7,5

ARDESTO



WASHING MACHINES

Semi Automatic Washing Machines



Product code	WMH-B65	WMH-B65C	WMH-B65D
Type	Semi automatic	Semi automatic	Semi automatic
Load type	Top	Top	Top
Capacity, kg	6,5	6,5	6,5
Spin speed, rpm	-	1 350	1 350
Number of washing modes	2	3	3
Features	Washing timer	Washing timer; spin timer	Washing timer; spin timer
Additional options	-	-	-
Energy class	A	A	A
Display	No	No	No
Color	White and gray	White and gray	White and black
Dimensions (w × h × d), cm	84 × 45 × 52,5	84,9 × 41 × 74,1	84,5 × 43 × 73,5
Weight, kg	12	18,5	18,5



Product code	WMH-W60C	WMH-B80D	WMH-B65CPM
Type	Semi automatic	Semi automatic	Semi automatic
Load type	Top	Top	Top
Capacity, kg	6	8	6,5
Spin speed, rpm	1 350	1 350	1 350
Number of washing modes	3	3	3
Features	Washing timer; spin timer	Washing timer; spin timer	Washing timer; spin timer
Additional options	-	-	Water pump
Energy class	A	A	A
Display	No	No	No
Color	White	White and black	White and gray
Dimensions (w × h × d), cm	84,9 × 41 × 74,1	93 × 45,5 × 78,6	84,9 × 41 × 74,1
Weight, kg	18,5	21,5	18,5



Product code	WMH-B65DPM	WMH-W60CPM	WMH-B80DPM
Type	Semi automatic	Semi automatic	Semi automatic
Load type	Top	Top	Top
Capacity, kg	6,5	6	8
Spin speed, rpm	1 350	1 350	1 350
Number of washing modes	3	3	2
Features	Washing timer; spin timer	Washing timer	Washing timer; spin timer
Additional options	Water pump	Water pump	Water pump
Energy class	A	A	A
Display	No	No	No
Color	White and black	White	White and black
Dimensions (w x h x d), cm	84,5 x 43 x 73,5	84,9 x 41 x 74,1	93 x 45,5 x 78,6
Weight, kg	18,5	18,5	21,5

Automatic Washing Machines



Product code	SWMG-6120W	SWMG-7120W	SWMG-7121W
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	6	7	7
Spin speed, rpm	1 200	1 200	1 200
Number of washing modes	10	10	10
Features	Add garments; temperature / speed settings; rinse+; child lock	Add garments; temperature / speed settings; rinse+; child lock	Steam washing; add garments; temperature / speed settings; rinse+; child lock
Additional options	Collapsible tank; honeycomb drum; intelligent control system (control of water temperature / spin speed / foaming / balancing laundry in the drum)	Collapsible tank; honeycomb drum; intelligent control system (control of water temperature / spin speed / foaming / balancing laundry in the drum)	Collapsible tank; honeycomb drum; intelligent control system (control of water temperature / spin speed / foaming / balancing laundry in the drum)
Energy class	A++	A++	A++
Display	Yes	Yes	Yes
Color	White	White	White
Dimensions (w x h x d), cm	85 x 42 x 60	85 x 42 x 60	85 x 42 x 60
Weight, kg	52	52	52



Product code	WMS-6118W	WMS-6109W	WMS-6109S
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	6	6	6
Spin speed, rpm	1 000	1 000	1 000
Number of washing modes	16	12	12
Features	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock
Additional options	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum
Energy class	A++	A++	A++
Display	No	No	No
Color	White	White	Silver
Dimensions (w × h × d), cm	85 × 48 × 59,5	85 × 48 × 59,5	85 × 48 × 59,5
Weight, kg	53	53	53



Product code	WMS-6109DG	WMS-6115W	WMS-6115DG
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	6	6	6
Spin speed, rpm	1 000	1 000	1 000
Number of washing modes	12	12	12
Features	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock
Additional options	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum
Energy class	A++	A++	A++
Display	Yes	Yes	Yes
Color	Dark gray	White	Dark gray
Dimensions (w × h × d), cm	85 × 48 × 59,5	85 × 48 × 59,5	85 × 44 × 59,5
Weight, kg	53	53	53



Product code	WMS-7118W	WMS-7109W	WMS-7109DG
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	7	7	7
Spin speed, rpm	1 000	1 000	1 000
Number of washing modes	12	12	12
Features	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock
Additional options	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum
Energy class	A++	A++	A++
Display	No	Yes	Yes
Color	White	White	Dark gray
Dimensions (w × h × d), cm	85 × 48 × 59,5	85 × 48 × 59,5	85 × 48 × 59,5
Weight, kg	53	53	53



Product code	WMS-7115W	WMS-7115DG	WMS-7117IWBD
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	7	7	7
Spin speed, rpm	1 000	1 000	1 400
Number of washing modes	12	12	12
Features	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock	Delayed start; temperature/speed settings; child lock
Additional options	Collapsible tank; honeycomb drum	Collapsible tank; honeycomb drum	Inverter motor; drum backlight; steam washing; collapsible tank; honeycomb drum
Energy class	A++	A++	A+++
Display	Yes	Yes	Yes
Color	Dark gray	Dark gray	White
Dimensions (w × h × d), cm	85 × 48 × 59,5	85 × 48 × 59,5	85 × 48 × 59,5
Weight, kg	53	53	60



Product code	WMW-6101W	WMW-6100WB	WMW-6102WBD
Type	Automatic	Automatic	Automatic
Load type	Front	Front	Front
Capacity, kg	6	6	6
Spin speed, rpm	1 200	1 200	1 200
Number of washing modes	15	15	15
Features	Washing temperature and spin speed settings; adding laundry during program operation; control panel lock function; delayed start	Washing temperature and spin speed settings; adding laundry during program operation; control panel lock function; delayed start	Steam washing; washing temperature and spin speed settings; adding laundry during program operation; control panel lock function; delayed start
Additional options	Collapsible tank	Collapsible tank	Collapsible tank
Energy class	A++	A++	A++
Display	Yes	Yes	Yes
Color	White	White	White
Dimensions (w × h × d), cm	84,5 × 44,5 × 59,8	84,5 × 44,5 × 59,8	84,5 × 44,5 × 59,8
Weight, kg	47	47	47



Product code	WMW-6103DGBD	WDMW-106ISBD
Type	Automatic	Automatic
Load type	Front	Front
Capacity, kg	6	6
Spin speed, rpm	1 200	1 200
Number of washing modes	15	15
Features	Steam washing; washing temperature and spin speed settings; adding laundry during program operation; control panel lock function; delayed start	Steam washing; washing temperature and spin speed settings; adding laundry during program operation; control panel lock function; delayed start
Additional options	Collapsible tank	Collapsible tank
Energy class	A++	A+++
Display	Yes	Yes
Color	Dark grey	Silver
Dimensions (w × h × d), cm	84,5 × 44,5 × 59,8	84,5 × 60,8 × 59,8
Weight, kg	53	66



Product code	WMI-6140	WMI-7140
Type	Automatic	Automatic
Load type	Front	Front
Capacity, kg	6	6
Spin speed, rpm	1 400	1 400
Number of washing modes	15	15
Features	Delayed start (1-24 hours); spin speed adjustment; temperature adjustment; Eco silence	Delayed start (1-24 hours); spin speed adjustment; temperature adjustment; Eco silence
Additional options	Child lock; anti-overflow; foaming control; water temperature control; laundry balancing inside the drum control; drum rotation speed control during spinning	Child lock; anti-overflow; foaming control; water temperature control; laundry balancing inside the drum control; drum rotation speed control during spinning
Energy class	A+++	A+++
Display	Yes	Yes
Color	White, black	White, black
Dimensions (w x h x d), cm	84,2 x 45 x 59,6	84,2 x 53 x 59,6
Weight, kg	68	68

Drying Machines



Product code	DMI-8
Drying type	Heat pump
Loading volume, kg	8
Drying programs/modes	12
Features	Delayed start (1-24 hours); Easy Iron function; Wardrobe function; Extra Drying mode; reverse rotation; partial load; timer
Additional options/features	Drum backlight; wool drying basket (shoes)
Energy consumption class	A++
Display	Yes
Color	White, black
Size (w x h x d), cm	84 x 63 x 59,6
Weight, kg	57

ARDESTO



**CLIMATE CONTROL
EQUIPMENT**



Product code	<u>CH-1000MCW</u>	<u>CH-1500MCA</u>	<u>CH-1500MCW</u>	<u>CH-2000MCW</u>
Power, W	1 000	1 500	1 500	2 000
Heating area, m²	10	15	15	20
Heating element	Closed	Closed	Closed	Closed
Protection class	IP24	IP24	IP20	IP24
Control type	Mechanical	Mechanical	Mechanical	Mechanical
Dimensions (w × h × d), cm	53 × 45 × 12	66 × 45 × 12	45 × 60 × 11	45 × 78,5 × 11
Weight, kg	3,7	4,4	4,4	5,2



Product code	<u>CH-2000ECW</u>	<u>CHK-2000MW</u>	<u>CHB-2000MBD</u>	<u>CH-2000ECA</u>
Power, W	2 000	2 000	2 000	2 000
Heating area, m²	20	20	20	20
Heating element	Closed	Open	Open	Closed
Protection class	IP24	IP20	IP20	IP24
Control type	Mechanical	Mechanical	Mechanical	Electronic
Dimensions (w × h × d), cm	74 × 45 × 11	52 × 34 × 20	78 × 50 × 13	74 × 45 × 11
Weight, kg	5,4	1,85	3,8	5,4



Product code	<u>CHB-2000MWP</u>	<u>CHH-2000MBR</u>	<u>CHH-2000MWC</u>	<u>CH-2500MCW</u>
Power, W	2 000	2 000	2 000	2 500
Heating area, m²	20	20	20	25
Heating element	Open	Open	Open	Closed
Protection class	IP20	IP20	IP20	IP24
Control type	Mechanical	Mechanical	Mechanical	Mechanical
Dimensions (w × h × d), cm	78 × 50 × 13	60 × 38 × 26	60 × 38,8 × 26	91 × 45 × 12
Weight, kg	3,8	3,2	3,2	5,9

Fan Heaters



Product code	FHB-2000TW	FHK-2000GY	FHK-2000BG	FHY-2000WB
Power, W	1 000/2 000	2 000	2 000	2 000
Heating area, m²	20	20	20	20
Heating element	Ceramic PTC	Spiral	Spiral	Spiral
Thermostat	Yes	Yes	Yes	Yes
Protection	Overheat and tip-over	Overheat and tip-over	Overheat and tip-over	Overheat and tip-over
Dimensions (w × h × d), cm	31,5 × 87 × 31,5	25 × 21 × 13	24 × 30 × 17	24 × 30 × 17
Weight, kg	2,4	1	1,06	1,06

Industrial Fan Heaters



Product code	IFH-02B	IFH-03B	IFH-05B
Power, W	2 000	3 000	5 000
Heating area, m²	20	30	50
Heating element	Ceramic	Ceramic	Ceramic
Installation	Floor standing	Floor standing	Floor standing
Thermostat	Yes	Yes	Yes
Protection	Overheat, IP20	Overheat, IP20	Overheat, IP20
Dimensions (w × h × d), cm	17 × 22 × 19,5	20 × 30,5 × 25,5	25 × 38 × 32
Weight, kg	1,5	2,7	4,2

**OFH-07X1****OFH-09X1****OFH-11X1**

Product code	OFH-07X1	OFH-09X1	OFH-11X1
Power, W	1 500	2 000	2 500
Heating area, m²	15	20	25
Number of sections	7	9	11
Protection class	IP20	IP20	IP20
Thermostat	Yes	Yes	Yes
Protection	Overheat, tip-over sensor	Overheat, tip-over sensor	Overheat, tip-over sensor
Dimensions (w × h × d), cm	45 × 60 × 11	44 × 65 × 14	51 × 65 × 13
Weight, kg	3,8	9,1	10,7

**OFH-E09X2****OFH-E11X2**

Product code	OFH-E09X2	OFH-E11X2
Power, W	2 000	2 500
Heating area, m²	20	25
Number of sections	9	11
Protection class	IP20	IP20
Thermostat	Yes	Yes
Protection	Overheat, tip-over sensor	Overheat, tip-over sensor
Dimensions (w × h × d), cm	44 × 65 × 14	50,5 × 63 × 13,5
Weight, kg	8,2	10,8

Infrared Heaters



Product code	IH-2000-Q1S	IH-2500-Q1S	IH-3000-Q1S
Power, W	2 000	2 500	3 000
Heating area, m ²	9	12	20
Heating element	Quartz	Quartz	Quartz
Installation	Wall or ceiling mounting; floor standing	Wall or ceiling mounting; floor standing	Wall or ceiling mounting; floor standing
Protection	Overheat	Overheat	Overheat
Remote control	No	No	No
Color	Grey, black	Grey, black	Grey, black
Dimensions (w x h x d), cm	24 x 14 x 82	24 x 14 x 92	24 x 14 x 107
Weight, kg	3,37	3	5,2



Product code	IH-TS-01
Dimensions (w x h x d), cm	100 x 12,2 x 12,2
Weight, kg	2,5
Height adjustment, m	1.1 to 1.8



Product code	IHS-1650	IHS-2200	IHS-2800
Power, W	1 650	2 200	2 800
Heating area, m ²	15	22	28
Heating element	Quartz	Quartz	Quartz
Installation	Floor standing	Floor standing	Floor standing
Protection class	IP20	IP20	IP20
Control type	Mechanical	Mechanical	Mechanical
Features	3 heating modes, protective grille, overheat and tip-over protection	4 heating modes, protective grille, overheat and tip-over protection	4 heating modes, protective grille, overheat and tip-over protection
Warranty	1 year	1 year	1 year
Dimensions (w x h x d), cm	54,5 x 44,5 x 17,2	55,4 x 53,5 x 19,5	73,4 x 57,5 x 19,5
Weight, kg	2,4	3,7	5,5



Product code	<u>IHS-2000T</u>
Power, W	2 000
Heating area, m²	20
Heating element	Carbon
Installation	Floor standing
Protection class	IP20
Control type	Electronic
Features	4 heating modes, protective grille, digital safety thermostat, digital timer, remote control
Warranty	1 year
Dimensions (w × h × d), cm	92 × 39 × 29,5
Weight, kg	4,8


Ceramic Heating Panels



Product code	<u>HCP-400BK</u>	<u>HCP-400WT</u>	<u>HCP-400BG</u>	<u>HCP-400BGM</u>
Power, W	400	400	400	400
Heating area, m²	8	8	8	8
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP34	IP34	IP34	IP34
Thermostat	No	No	No	No
Color	Black	White	Beige	Beige marble
Dimensions (w × h × d), cm	60 × 60 × 1,4	60 × 60 × 1,4	60 × 60 × 1,4	60 × 60 × 1,4
Weight, kg	11,2	11,2	11,2	11,2



Product code	<u>HCP-600BGM</u>	<u>HCP-600BRM</u>	<u>HCP-600M</u>	<u>HCP-600SAM</u>
Power, W	600	600	600	600
Heating area, m ²	11	11	11	11
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP34	IP34	IP34	IP54
Thermostat	No	No	No	No
Color	Beige marble	Brown marble	Marble	Sand marble
Dimensions (w × h × d), cm	90 × 60 × 1,7	90 × 60 × 1,7	60 × 60 × 1,4	66 × 6 × 98
Weight, kg	21	21	11,2	21,5



Product code	<u>HCP-600WTM</u>	<u>HCP-1000RBG</u>	<u>HCP-1000RWT</u>	<u>HCP-1000RWTM</u>
Power, W	600	1 000	1 000	1 000
Heating area, m ²	11	20	20	20
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP34	IP54	IP33	IP33
Thermostat	No	Yes	Yes	Yes
Color	White marble	Beige	White	White marble
Dimensions (w × h × d), cm	60 × 60 × 1,4	65 × 5 × 127	120 × 60 × 1,6	120 × 60 × 1,6
Weight, kg	11,2	25,5	26	26



Product code	<u>HCP-1000RBGM</u>	<u>HCP-1000RBK</u>	<u>HCP-1000RBRM</u>	<u>HCP-1000RM</u>
Power, W	1 000	1 000	1 000	1 000
Heating area, m ²	20	20	20	20
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP54	IP33	IP54	IP54
Thermostat	Yes	Yes	Yes	Yes
Color	Beige marble	Black	Brown marble	Marble
Dimensions (w × h × d), cm	65 × 5 × 127	120 × 60 × 1,6	65 × 5 × 127	65 × 5 × 127
Weight, kg	25,5	26	25,5	25,5



	<u>HCP-550BGM</u>	<u>HCP-550BRM</u>	<u>HCP-550RM</u>	<u>HCP-550RTM</u>
Product code	<u>HCP-550BGM</u>	<u>HCP-550BRM</u>	<u>HCP-550RM</u>	<u>HCP-550RTM</u>
Power, W	550	550	550	550
Heating area, m²	11	11	11	11
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP33	IP54	IP33	IP33
Thermostat	Yes	Yes	Yes	Yes
Color	Beige marble	Brown marble	Marble	White marble
Dimensions (w × h × d), cm	90 × 45 × 1,6	51 × 6 × 97	90 × 45 × 1,6	90 × 45 × 1,6
Weight, kg	15	15,4	15	15



	<u>HCP-750BGM</u>	<u>HCP-750BRM</u>	<u>HCP-750RM</u>	<u>HCP-750RTM</u>
Product code	<u>HCP-750BGM</u>	<u>HCP-750BRM</u>	<u>HCP-750RM</u>	<u>HCP-750RTM</u>
Power, W	750	750	750	750
Heating area, m²	15	15	15	15
Heating element	Ceramic infrared	Ceramic infrared	Ceramic infrared	Ceramic infrared
Protection class	IP33	IP33	IP33	IP33
Thermostat	Yes	Yes	Yes	Yes
Color	Beige marble	Brown marble	Marble	White marble
Dimensions (w × h × d), cm	90 × 60 × 1,7	90 × 60 × 1,7	90 × 60 × 1,7	90 × 60 × 1,7
Weight, kg	21,5	21,5	21,5	21,5

Fans




Product code	FN-1608CW	FN-1608RW	FN-R1608CB	FN-R1608RW
Power, W	45	45	45	45
Air humidification	No	No	No	No
Number of speed settings	3	3	3	3
Remote control	No	No	Yes	Yes
Protective grille diameter, cm	40	40	40	40
Stand type	Cross	Round	Cross	Round
Timer	No	No	Yes	Yes
Color	White	White	Black	White
Height, cm	125	125	125	125
Weight, kg	2,6	2,6	2,6	2,6



Product code	FN-M-X1B	FN-FNM-X2G	FN-M-X2S	FT-23A
Power, W	100	100	100	30
Air humidification	Yes	Yes	Yes	No
Number of speed settings	3	3	3	2
Remote control	Yes	Yes	Yes	No
Protective grille diameter, cm	47	47	47	23 (blades)
Stand type	Platform with wheels	Platform with wheels	Platform with wheels	Round support
Timer	Yes	Yes	Yes	No
Color	Black	Silver	Gold	White
Height, cm	132	127	127	39,5
Weight, kg	8,3	9,6	9,6	1,18



Product code	<u>FNT-C880</u>	<u>FNT-R36X1W</u>	<u>FNT-R36X1WY22</u>	<u>FNT-R44X1W</u>
Power, W	50	50	50	50
Air humidification	No	No	No	No
Number of speed settings	3	3	3	3
Remote control	Yes	Yes	Yes	Yes
Protective grille diameter, cm	32	-	-	-
Stand type	Round	Round	Round	Round
Timer	Yes	Yes	Yes	Yes
Height, cm	88	90	90	110
Color	White and black	Silver	White	Silver
Weight, kg	3,5	3,6	3,2	4,6



Product code	<u>FNT-R44X1WY22</u>
Power, W	50
Air humidification	No
Number of speed settings	3
Remote control	Yes
Stand type	Round
Timer	Yes
Height, cm	110
Color	White
Weight, kg	3,6


Bathroom Exhaust Fans



Product code	BFC-100S	BFC-100W	BFO-100W	BFC-120W
Type	Built-in	Built-in	Built-in	Built-in
Installation	Wall/ceiling mounting	Wall/ceiling mounting	Wall/ceiling mounting	Wall/ceiling mounting
Power, W	15	15	15	20
Rotation speed, rpm	400	400	400	300
Air flow, m³/h	70	70	80	120
Noise level, dB	30	30	33	33
Color	Silver	White	White	White



Product code	BFC-120S	BFO-120W	BFC-150W	BFC-150S
Type	Built-in	Built-in	Built-in	Built-in
Installation	Wall/ceiling mounting	Wall/ceiling mounting	Wall/ceiling mounting	Wall/ceiling mounting
Power, W	20	20	25	25
Rotation speed, rpm	300	300	650	650
Air flow, m³/h	129	150	210	210
Noise level, dB	33	35	35	35
Color	Silver	White	White	Silver



Product code	USH-M-BTN-4L-W	USH-M-LCD-4L-W	USH-M-CNTRTCH-8L-W
Tank capacity, L	4	4	8
Humidification, ml/h	300	300	300
Noise level, dB	< 38	< 38	35
Electricity consumption (cold steam), W	28	28	28
Recommended area, m ²	Up to 40	Up to 40	Up to 50
Display	Yes	Yes	Yes
Dimensions (w × h × d), cm	37 × 16 × 16	37 × 16 × 16	71 × 22,6 × 22,6
Weight, kg	1,2	1,2	2,2

Electric Water Heaters




Product code	3100839	3100840	3100841	3100842
Heating element type	Wet	Wet	Wet	Wet
Capacity, L	10	10	15	15
Energy class	B	D	A	B
Power, W	1 200	1 200	1 200	1 200
Body shape	Square	Square	Square	Square
Body material	Plastic	Plastic	Plastic	Plastic
Pipe connection	Bottom, 1/2"	Top, 1/2"	Bottom, 1/2"	Top, 1/2"
Warranty	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)
Dimensions (w × h × d), cm	36 × 36 × 28	36 × 36 × 28	36 × 36 × 32,7	36 × 36 × 32,7
Weight, kg	6,3	6,3	7,1	7,1



Product code	3100843	3201512	3201513	3201515
Heating element type	Wet	Wet	Wet	Wet
Capacity, L	30	50	80	100
Energy class	C	D	D	A
Power, W	1 500	1 500	1 500	1 500
Body shape	Square	Cylindrical	Cylindrical	Cylindrical
Body material	Plastic	Enameled sheet steel	Enameled sheet steel	Enameled sheet steel
Pipe connection	Bottom, 1/2"	Bottom, 1/2"	Bottom, 1/2"	Bottom, 1/2"
Warranty	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)	2 years (tank), 1 year (electronics)
Dimensions (w × h × d), cm	44,6 × 44,6 × 39	45 × 55,3 × 48	45 × 75,8 × 48	45 × 91,3 × 48
Weight, kg	6,3	6,3	7,1	7,1

ARDESTO

All for comfort!



<https://erc-distribution.com/>

ARDESTO



<https://ardesto.com.ua>



18A, Marka Vovchka str.

Tel.: (044) 230 34 74; (044) 390 55 10